



POE switch 16 Ports .7





The POE-SW1616 unmanaged POE switch with 16 10/100 Mbps RJ 45 ports, 2 Gigabit Copper / SEP combo uplink port reduces the amount of equipment and installation costs by delivering data and power over a single Ethernet cable. It features a swithcing capacity of 7.2 Gbps. LED indicators display the device status for easy power management and troubleshooting. An internal powersupply reduces clutter and delivers up to 30 watts per port.

SF1621GB4L				
Fast Ethernet Ports	16 10/100 Base-TX TJ45 Auto MDI / MDI-X Ports			
Gigabit Ports	2 Gigabit SFP +2 Gigabit Uplink			
Power over Ethernet Ports	16 Port Function Max Power			
Distance	Up to 100 Meters / 300 Feet			
Switch Fabric	7.2Gbps			
Flow Control	Back Pressure for half duplex, IEEE 802.3x Pause Frames for full duplex			
Power Requirement	100 ~ 240V AC, 50 ~ 60Hz			
Temperature	Operating: 0 ~ 40°C / Storage: -40 ~ 70°C			
Humidity Operating	5% to 90%, Storage: 5% ~ 90% (Non-condensing)			
Warranty	1 Years			
POE Standard	IEEE 802.3AF/AT Power over Ethernet / PSE			
POE Power Supply Type	End-Span			
POE Power Output	Per Port 48V DC, Max 30 Watts			
Power Pin Assignment	1/2(+), 3/6(-)			
Power Dissipation	250 Watts			
Standard Conformance	FCC, CE, ROHS			

Dimensions		440mm x 270mm x 44	mm	
Mounts		Rack-Mountable with Standard Rack		
	ue VISION CCTV TECHNO Specifications subject to change without		C € (%) Onvif*	

Exclusive Distributon in Bangladesh



